


## Compare Products

|              |   |
|--------------|---|
| <b>Code</b>  | <b>71079</b>  |
| <b>Model</b> | <b>XJ VR</b>  |
|              |    |
| <b>Note</b>  | <p style="text-align: center;"><b>Dual Speed Control</b><br/><b>Fiber Carbon Proplock propeller</b></p> <p style="text-align: center;">- Top speed is delivered with fully charged battery<br/>- Diver : 70kg weight, 170cm high - wet suit single 10lt tank - horizontal trim<br/>- Conditions : sea water - no flow/current</p> |

## Dimensions

|                               |                             |
|-------------------------------|-----------------------------|
| <b>Use</b>                    | RECREATIONAL                |
| <b>Length</b>                 | mm 720 (inch 28.3)          |
| <b>Width</b>                  | mm 340 (inch 12.9)          |
| <b>Height</b>                 | mm 425 (inch 16.7)          |
| <b>Body diameter</b>          | mm 200 (inch 7.8)           |
| <b>Weight without battery</b> | kg 11,50 (lb 24.5)          |
| <b>Weight with battery</b>    | kg 16,50 (lb 35.3)          |
| <b>Material type</b>          | Tecnopolymers/Polycarbonate |

## Performance

|                                   |                             |
|-----------------------------------|-----------------------------|
| <b>Max static thrust</b>          | N 200 (lb 44.96)            |
| <b>Top speed</b>                  | mt/min 65 (ft/min 213)      |
| <b>Run time at max speed/drag</b> | min 100                     |
| <b>Run time at cruise speed</b>   | min 150                     |
| <b>Maximum operational depth</b>  | mt 101 (ft 331)             |
| <b>Buoyancy/ trim</b>             | Tecnopolymers/Polycarbonate |
| <b>In-water usage temperature</b> | °C -5/+35 (°F +23/+95)      |

**LITHIUM BATTERY**

| SPEED MT/MIN | BURNTIME - MIN |
|--------------|----------------|
| FULL TRIGGER | 100            |
| 45-CRUISE    | 150            |

**NIMH BATTERY - ACCESSORY**

| SPEED MT/MIN | BURNTIME - MIN |
|--------------|----------------|
| FULL TRIGGER | 60             |
| 45-CRUISE    | 100            |

Runtime-range

- Top speed - thrust is delivered with fully charged battery
- Diver : 70kg weight, 170cm high - wet suit single 10lt tank - horizontal trim
- Conditions : sea water - no flow/current

**Battery type**

|                                |                 |
|--------------------------------|-----------------|
| <b>Battery type</b>            | Lithium         |
| <b>Nominal Voltage</b>         | Volt 25,2       |
| <b>Nominal Capacity</b>        | Wh 512          |
| <b>Maximum recharging time</b> | h 6             |
| <b>Charger power supply</b>    | 110/220 50/60HZ |

**Features**

|   |   |
|---|---|
| <b>DRIVE</b>                                  |   |
| <b>Fastening device</b>                       | ● |
| <b>Main Switch</b>                            | ● |
| <b>Proplock Propeller</b>                     | ● |
| <b>Speed Adjustment</b>                       | ● |
| <b>Battery Gauge</b>                          | ● |
| <b>By-pass System</b>                         |   |
| <b>Easy Trim</b>                              | ● |
| <b>Easy Inspect</b>                           | ● |
| <b>New Handle Design</b>                      | ● |
| <b>Battery and Charger Design and Quality</b> | ● |
| <b>Sealed Motor Compartment</b>               | ● |
| <b>NBS - Neutral Buoyancy System</b>          | ● |

|                            |   |
|----------------------------|---|
| <b>Made Salt Resistant</b> | ● |
| <b>Motor Protection</b>    | ● |
| <b>Battery Protection</b>  | ● |
| <b>Certifications</b>      | ● |

**Features legend:**

● : standard

○ : optional

  : not available