




Compare Products

Code	71420
Model	VRt
	
Note	<p style="text-align: center;">Dual Speed Control HI-GR Compound Proplock propeller HI-GR Compound body Smartphone Connect</p> <p style="text-align: center;"> </p> <p style="text-align: center;">- Top speed is delivered with fully charged battery - Diver : 70kg weight, 170cm high - wet suit single 10lt tank - horizontal trim - Conditions : sea water - no flow/current</p>

Dimensions

Use	RECREATIONAL
Length	mm 720 (inch 28.3)
Width	mm 340 (inch 12.9)
Height	mm 425 (inch 16.7)
Body diameter	mm 200 (inch 7.8)
Weight without battery	kg 11,50 (lb 24.5)
Weight with battery	kg 16,50 (lb 35.3)
Material type	Tecnopolymers/Polycarbonate

Performance

Max static thrust	N 200 (lb 44.96)
Top speed	mt/min 65 (ft/min 213)
Run time at cruise speed	min 90
Maximum operational depth	mt 101 (ft 331)
Buoyancy/ trim	Tecnopolymers/Polycarbonate
In-water usage temperature	°C -5/+35 (°F +23/+95)

NIMH BATTERY

SPEED MT/MIN	BURNTIME - MIN
FULL TRIGGER	60
45-CRUISE	100

LITHIUM BATTERY - ACCESORY

SPEED MT/MIN	BURNTIME - MIN
FULL TRIGGER	100
45-CRUISE	150

Runtime-range

- Top speed - thrust is delivered with fully charged battery
- Diver : 70kg weight, 170cm high - wet suit single 10lt tank - horizontal trim
- Conditions : sea water - no flow/current

Battery type

Battery type	Nimh
Nominal Voltage	Volt 24
Nominal Capacity	Wh 324
Maximum recharging time	h 4,5
Charger power supply	110/220 50/60HZ

Features

Smartphone connect	●
External Charge	
Suex DRIVe System	
Battery Gauge	●
Li-ion Battery	
Fastening device	●
Main Switch	●
Proplock Propeller	●
Speed Adjustment	●
By-pass System	
Easy Trim	●
Easy Inspect	●
New Handle Design	●

Sealed Motor Compartment	●
NBS - Neutral Buoyancy System	●
Made Salt Resistant	●
Motor Protection	●
Battery Protection	●
Certifications	●

Features legend:

● : standard

○ : optional

○ : not available