

## Compare Products

<b>Code</b>	<b>71380</b>
<b>Model</b>	<b>Xjs</b>



<b>Note</b>	<p>ERON D-1 DASHBOARD Connect          Calypso Connect (Motor, Battery, ERON D-1)          Dual Speed trigger          Fiber Carbon Proplock Propeller          Battery Gauge          Bypass System          HD Shaft Seal          Carry Handle          Cleaning and Lubrication Kit          Tow Leash with boltsnap and bungee          Extra Bolt snap</p> <p>- Top speed is delivered with fully charged battery          - Diver : 70kg weight, 170cm high - drysuit - double 12 tanks - horizontal trim          - Conditions : sea water - no flow/current</p>
-------------	--

## Dimensions

<b>Use</b>	TECH / COMMERCIALLONG RANGE / CAVE
<b>Length</b>	mm 814 (inch 31,1)
<b>Width</b>	mm 436 (inch 17,2)
<b>Height</b>	mm 340 (inch 13,4)
<b>Body diameter</b>	mm 197 (inch 7,8)
<b>Weight without battery</b>	kg 14 (lb 30,9)
<b>Weight with battery</b>	kg 20 (lb 44,1)
<b>Material type</b>	Aluminum Body

## Performance

<b>Max static thrust</b>	N 330 (lb 74,2)
<b>Top speed</b>	mt/min 85 (ft/min 278)
<b>Run time at max speed/drag</b>	min 85
<b>Run time at cruise speed</b>	min 185
<b>Maximum operational depth</b>	mt 200 (ft 656)
<b>Test depth</b>	mt 300 (ft 984)
<b>Buoyancy/ trim</b>	Neutral Trim and Buoyancy

**In-water usage temperature**

°C -5/+35 (°F +23/+95)

**Runtime-range**

SPEED	BURNTIME	RANGE
FULL TRIGGER	85 MIN	5,9 (2,7) KM (nm)
60 MT/MIN	150 MIN	7,2 (3,8) KM (nm)
CRUISE 45 MT/MIN	185 MIN	8,1 (4,3) KM (nm)
30 MT/MIN	275 MIN	

- Top speed is delivered with fully charged battery  
- Diver : 70kg weight, 170cm high - drysuit - double 12 tanks - horizontal trim  
- Conditions : sea water - no flow/current

### Battery type

<b>Battery type</b>	LI-ion
<b>Nominal Voltage</b>	Volt 25,2
<b>Nominal Capacity</b>	Wh 940
<b>Maximum recharging time</b>	h 8
<b>Charger power supply</b>	90/240 - 50/60 Hz

### Features

<b>Smartphone connect</b>	●
<b>External Charge</b>	
<b>Battery Gauge</b>	●
<b>Li-ion Battery</b>	●
<b>Fastening device</b>	●
<b>Main Switch</b>	●
<b>Proplock Propeller</b>	●
<b>Speed Adjustment</b>	●
<b>By-pass System</b>	●
<b>Easy Trim</b>	●
<b>Easy Inspect</b>	●
<b>New Handle Design</b>	●
<b>Sealed Motor Compartment</b>	●
<b>NBS - Neutral Buoyancy System</b>	●
<b>Made Salt Resistant</b>	●
<b>Motor Protection</b>	●
<b>Battery Protection</b>	●
<b>Certifications</b>	●

**Features legend:**

● : standard

○ : optional

  : not available